

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s): Peltz et al.

Examiner: Unassigned

Application No.: 10/652,334

Group Art Unit: 1645

Filed: August 28, 2003

Docket: 1368-12 CON  
(54569.8003.US02)

For: SUBFAMILY OF RNA  
HELICASES WHICH ARE  
MODULATORS OF THE  
FIDELITY OF TRANSLATION  
TERMINATION AND USES  
THEREOF

Dated: February 12, 2004

I hereby certify this correspondence is being  
deposited with United States Postal Service as first class  
mail, postpaid in an envelope, addressed to:  
Commissioner of Patents, P.O. Box 1450, Alexandria, VA 22313-1450  
on February 12, 2004

Signature Barbara Thomas

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

INFORMATION DISCLOSURE STATEMENT

Sir:

In order to fulfill the requirements of candor and good faith set forth in 37 C.F.R. §1.56, Applicants submit herewith the following Information Disclosure Statement in accordance with the provisions of 37 C.F.R. §1.97 and §1.98.


This application is a continuation of U.S. Application No. 09/359,268, filed July 22, 1999, now U.S. Patent No. 6,630,294, which claims benefit of U.S. Provisional Application No. 60/093,685, filed July 22, 1998. Copies of the references cited in the Form PTO-1449 have

been previously submitted to the U.S. Patent and Trademark Office for the related application or have been cited in the related application. Copies of these references can be found in the priority file. Accordingly, copies of the previously submitted or cited references are not required to be submitted in the present application under 37 C.F.R. §1.98(d).

Applicants also respectfully request that a copy of the attached Form PTO-1449, initialed by the Examiner, be returned to Applicants' agent together with the next communication indicating that these documents have in fact been considered.

If the Examiner has any questions or comments relating to the present application, he or she is respectfully invited to contact Applicants' agent at the telephone number set forth below.

Respectfully submitted,

  
Gloria K. Szakiel  
Registration No.: 45,149  
Agent for Applicant(s)

HOFFMANN & BARON, LLP  
6900 Jericho Turnpike  
Syosset, New York 11791  
(973) 331-1700

FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE  
(Rev. 2-32) PATENT AND TRADEMARK OFFICE

ATTY. DOCKET NO.  
1368-12 CON

SERIAL NO.  
10/652,334

INFORMATION DISCLOSURE  
STATEMENT BY APPLICANT


APPLICANT  
Peltz et al.

CONFIRMATION NO.  
5532

FILING DATE  
August 28, 2003

GROUP  
1645

(Use several sheets if necessary)



U.S. PATENT PUBLICATIONS

EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUB CLASS	FILING DATE IF APPROPRIATE

U.S. PATENT DOCUMENTS

EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUB CLASS	FILING DATE IF APPROPRIATE
		5,641,627	6/1997	Moehler			
		5,679,566	10/21/97	He et al.			
		5,840,702	11/1998	Bedwell			
		5,874,231	02/1999	Sonenberg et al.			
		5,994,119	11/30/99	Dietz			
		6,630,294	10/2003	Peltz et al.			


FOREIGN PATENT DOCUMENTS

EXAMINER INITIAL		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUB CLASS	TRANSLATION	
							YES	NO
		WO 97/12617	04/10/97	PCT				
		WO 97/34611	09/1997	PCT				
		WO 97/40855	11/1997	PCT				
		WO 99/61600	12/1999	PCT				

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication with applicant.



FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE (Rev. 2-32) PATENT AND TRADEMARK OFFICE	ATTY. DOCKET NO. 1368-12 CON	SERIAL NO. 10/652,334
INFORMATION DISCLOSURE STATEMENT BY APPLICANT	APPLICANT Peltz et al.	CONFIRMATION NO. 5532
(Use several sheets if necessary)	FILING DATE August 28, 2003	GROUP 1645

### OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

			Frolova et al; Eukaryotic polypeptide chain release factor eRF3 is an eRF1-and ribosome-dependent gaunosine triphosphatase RNA; 1996; 2:334-341
			Audrey L. Atkin et al; Relationship between Yeast Polyribosomes and Upf Proteins Required for nonsense mRNA Decay; The Journal of Biological Chemistry; Vol. 272, No. 35; Issue of August 29, pp. 22163-22172
			Howard et al.; Aminoglycoside Antibiotics restore CFTR function by overcoming premature stop mutations; Nature Medicine; Vol 2, April 1996; pp 467-469
			Branch; TIBS; 23:45-50 (February 1998); (published after filing of parent application)
			Czapinski et al; RNA; 1:610-623 (1995).
			Czapinski et al; Bioessays; 21:685-696 (1999)
			Czapinski et al.; Genes & Development; 12:1665-1677; (June 1998) (published after filing of parent application)
			Andjelkovich et al.; Medline Abstract 2191; EMBOJ. 15:7156-7167 (1996)
			Peltz; et al; Progress in Nucleic Acid Research and Molecular Biology; 47:271-298 (1994)
			Weng et al; Molecular and Cellular Biology; 16:5477 (1996)
			Biswas et al; Biochem and Biophys Research Communications; 206:850-856 (1995)
			Applequist et al; Cloning and characterization of HUPF1, a human homolog of the Saccharomyces cerevisiae nonsense mRNA-reducing UPF1 protein; pp 814-821; Nucleic Acids Research; 1997; Vol 25, No. 4
			Broun et al., Science 282:1315-1317, 1998.
			Van de Loo et al., Proc. Natl. Acad. Sci. 92:6743-6747, 1995.
			Bork, Genome Research, 10:398-400, 2000.

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication with applicant.




FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE (Rev. 2-32) PATENT AND TRADEMARK OFFICE  INFORMATION DISCLOSURE STATEMENT BY APPLICANT  (Use several sheets if necessary)	ATTY. DOCKET NO. 1368-12 CON	SERIAL NO. 10/652,334
	APPLICANT Peltz et al.	CONFIRMATION NO. 5532
	FILING DATE August 28, 2003	GROUP 1645

		All-Robyn, J. A., Kelley-Geraghty D., Griffin E., Brown, N., Liebman, S. W. 1990. Isolation of omnipotent suppressors in an [eta+] yeast strain. <i>Genetics</i> 124:505-514.
		Altamura, N., Groudinsky, O., Dujardin, G. and Slonimski, P.P. (1992) NAM7 nuclear gene encodes a novel member of a family of helicases with a Z1-6n-ligand motif and is involved in mitochondrial functions in <i>Saccharomyces cerevisiae</i> . <i>J. Mol. Biol.</i> 224, 575-587.
		Atkin A. L., Altamura, N. Leeds, P., and Culbertson, M. R. (1995) The majority of yeast UPF1 co-localizes with polyribosomes in the cytoplasm. <i>Mol. Biol. Cell</i> 6, 611-625.
		Bean D. W., and Matson, S. W. 1997. Identification of the gene encoding scHelI, a DNA helicase from <i>Saccharomyces cerevisiae</i> . <i>Yeast</i> 13:1465-1475.
		Bean, D. W. Kallam, W. E. and Matson, S. W. 1993. Purification and characterization of a DNA helicase from <i>Saccharomyces cerevisiae</i> . <i>J. Biol Chem</i> 268:21783-21790.
		Bedwell, DM, Kaenjak A, Benos DJ, Bebok Z, Bubien JK, Hong J, Tousson A, Clancy JP, Sorscher EJ. 1997. Suppression of a CFTR premature stop mutation in a bronchial epithelial cell line. <i>Nature Med</i> 1997 3:1280-1284.
		Biswas, E. E., Fricke, W. M., Chen, P. H., Biswas, S. B. 1997a. Yeast DNA helicase A: cloning, expression, purification, and enzymatic characterization. <i>Biochemistry</i> . 36:13277-13284.
		Biswas, S. B., Chen, P. H., and Biswas, E. E. 1997b. Purification and characterization of DNA polymerase $\alpha$ -associated replication protein A-dependent yeast DNA helicase A. <i>Biochemistry</i> 36 13270-13276.
		Biswas, E. E., Chen, P. H. Leszyk, J., and Biswas, S. B. 1995. Biochemical and genetic characterization of a replication protein A dependent DNA helicase from the yeast, <i>Saccharomyces cerevisiae</i> . <i>Biochem Biophys Res Commun</i> 206:850-856.
		Biswas, E. E., Chen, P. H. and Biswas, S. B. 1993a. DNA helicase associated with DNA polymerase alpha: isolation by a modified immunoaffinity chromatography. <i>Biochemistry</i> 32:13393-13398.

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication with applicant.




PTO-1449 U.S. DEPARTMENT OF COMMERCE (Rev. 2-32) PATENT AND TRADEMARK OFFICE  INFORMATION DISCLOSURE STATEMENT BY APPLICANT  (Use several sheets if necessary)	ATTY. DOCKET NO. 1368-12 CON	SERIAL NO. 10/652,334
	APPLICANT Peltz et al.	CONFIRMATION NO. 5532
	FILING DATE August 28, 2003	GROUP 1645

		Biswas, E. E. Ewing, C. M. and Biswas, S. B. 1993b. Characterization of the DNA-dependent ATPase and a DNA unwinding activity associated with the yeast DNA polymerase alpha complex. <i>Biochemistry</i> . 2:3020-3026.
		Buckingham, R. Grentzmann, G., and Kisselev, L. (1997) Polypeptide chain release factors. <i>Mol. Microbiol.</i> 24, 449-456.
		Budd, M. E., Choe, W. C., and Campbell, J. L. 1995. DNA2 encodes a DNA helicase essential for replication of eukaryotic chromosomes. <i>J. Biol. Chem.</i> 270 26766-26769
		Budd, M. E., and Campbell, J. L. 1997. A yeast replicative helicase, Dna2, interacts with yeast FEN-1 nuclease in carrying out its essential function. <i>Mol. Cell Biol.</i> 17, 2136-42.
		Cui, Y., Hagan, K. W., Zhang S., and Peltz, S. W. (1995) Identification and characterization of genes that are required for the accelerated degradation of mRNAs containing a premature translation termination codon. <i>Genes &amp; Dev.</i> 9, 423-436.
		Cui, Y., Dinman, J. D., and Peltz, S. W. (1996) mof4-1 is an allele of the UPF1/IFS2 gene which affects both mRNA turnover and -1 ribosomal frameshifting efficiency. <i>EMBO J.</i> 15 5726-5736.
		Czaplinski, K., Weng, Y., Hagan, K. W. and Peltz, S. W. (1995) Purification and characterization of the Upf1p: a factor involved in translation and mRNA degradation. <i>RNA</i> 1, 610-623.
		Czaplinski, K., Ruiz-Echevarria, Weng, Y., Paushkin, S. V., Dietz, H., Ter-Avanesyan, M. D. and Peltz, S. W. 1998. Assembly of the mRNA surveillance complex occurs at a translation termination event. <i>Genes &amp; /Dev.</i> , In press.
		DeMarini, D. J., Winey, M., Ursic, D., Webb, F. and Culbertson, M. R. 1992. SEN1, a positive effector of tRNA-splicing endonuclease in <i>Saccharomyces cerevisiae</i> . <i>Mol Cell Biol</i> 12:2154-2164
		Didichenko, S. A., Ter-Avanesyan, M. D., and Smirnov, V. N. (1991) EF-1a-like ribosome-bound protein of yeast <i>Saccharomyces cerevisiae</i> . <i>Eur. J. Biochem.</i> 198, 705-711.

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication with applicant.




FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE (Rev. 2-32) PATENT AND TRADEMARK OFFICE  INFORMATION DISCLOSURE STATEMENT BY APPLICANT  (Use several sheets if necessary)	ATTY. DOCKET NO. 1368-12 CON	SERIAL NO. 10/652,334
	APPLICANT Peltz et al.	CONFIRMATION NO. 5532
	FILING DATE August 28, 2003	GROUP 1645

		Dinman, J. D., Ruiz-Echevarria, M. J. and Peltz, S. W. 1998. Translating old drugs into new treatments: Identifying compounds that modulate programmed -1 ribosomal frameshifting and function as potential antiviral agents. <i>Trends in Biotech.</i> 16:190-196.
		Dinman, J. D., Ruiz-Echevarria, M. J., Czaplinski, K. and Peltz, S. W. 1997. Peptidyl-transferase inhibitors have antiviral properties by altering programmed -1 ribosomal frameshifting efficiencies: Development of model systems P.N.A.S. 94:6606-6611.
		Frolova, L., Le Goff, X., Rasmussen, H. H., Cheperegin, S., Drugeon, G., Kress, M., Arman, I., Haenni, A. L., Celis, L. E., Philippe, M. Justesen, J., and Kisselev, L. (1994) A highly conserved eukaryotic protein family processing properties of a polypeptide chain release factor. <i>Nature</i> 372, 701-703.
		Frolova, L., Le Goff X., Zhouravleva, G. Davydova, E., Philippe, M. and Kisselev, L. (1996) Eukaryotic polypeptide chain release factor eRF3 is an eRF1- and ribosome-dependent guanosine triphosphatase. <i>RNA</i> 4, 334-341.
		Gorbalenya AE, Koonin EV, Dochenko AP, Blinov VM. 1988. A novel superfamily of nucleoside triphosphate-binding motif containing proteins which are probably involved in duplex unwinding in DNA and RNA replication and recombination. <i>FEBS Lett</i> 235(1,2): 16-24.
		Hagan, K. W., Ruiz-Echevarria, M. J. Quan, Y. and Peltz S. W. (1995) Characterization of cis-acting sequences and decay intermediates involved in nonsense-mediated mRNA turnover. <i>Mol Cell. Biol.</i> 15, 809-823.
		He, F., Brown, A. H., and Jacobson, A. (1997) Upf1p, Nmd2p, and Upf3p are interacting components of the yeast nonsense-mediated mRNA decay pathway. <i>Mol Cell Biol.</i> 17, 1580-94
		He, F. Peltz, S. W., Donahue, J. L., Rosbash, M. and Jacobson, A. (1993) Stabilization and ribosome association of unspliced pre-mRNAs in a yeast upf1-mutant. <i>Proc. Natl. Acad. Sci. USA</i> 90, 7034-7038.
		Howard, M., Frazzell R. A. and Bedwell D. M. (1996) Aminoglycoside antibiotics restore CFTR function by overcoming premature stop mutations. <i>Nature Med.</i> 2,467-9

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication with applicant.

FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE  
(Rev. 2-32) PATENT AND TRADEMARK OFFICEATTY. DOCKET NO.  
1368-12 CONSERIAL NO.  
10/652,334INFORMATION DISCLOSURE  
STATEMENT BY APPLICANTAPPLICANT  
Peltz et al.CONFIRMATION NO.  
5532

(Use several sheets if necessary)

FILING DATE  
August 28, 2003GROUP  
1645


		Jacobson, A., and Peltz, S. W. (1996) Interrelationships of the pathways of mRNA decay and translation in eukaryotic cells. <i>Ann. Rev. Biochem.</i> 65-693-739.
		Koonin, E. V. (1992). A new group of putative RNA helicases. <i>TIBS</i> 17, 495-497.
		Korolev, S. Hsieh, J., Gauss, G. H., Lohman, T. M. and Waksman, G. 1997. Major domain swiveling revealed by the crystal structures of complexes of <i>E. coli</i> Rep helicase bound to single-stranded DNA and ADP. <i>Cell</i> . 90:635-647.
		Leeds, P., Peltz, S. W. Jacobson, A. and Culbertson, M.R. (1991) The product of the yeast UPF1 gene is required for rapid turnover of mRNAs containing a premature translational termination codon. <i>Genes &amp; Dev.</i> 5, 2303-2314.
		Leeds, P., Wood, J. M., Lee, B. S., and Culbertson, M.R. (1992) Gene products that promote mRNA turnover in <i>Saccharomyces cerevisiae</i> . <i>Mol. Cell. Biol.</i> 12, 2165-2177.
		Lussier, M. White, A-M., Sheraton, J., di Paolo, T., Treadwell, J., Southard, S. B., Horenstein, C. I., Chen-Weiner, J., Ram, A. F. J., Kapteyn, J. C., Roemer, T. W., Vo, D. H., Bondoc, D. C. Hall, J., Zhong, W. W., Sdicu, A-M., Davies, J., Klis, F. M., Robbins, P. W., and Bussey, H. 1997. Large Scale identification of Genes Involved in Cell Surface Biosynthesis and Architecture in <i>Saccharomyces cerevisiae</i> . <i>Genetics</i> 147 435-450.
		McKusick, V. A.; (with the assistance of Francomano, C. A., Antonarakis, S. E., and Pearson, P. L. (1994) Mendelian inheritance in man: a catalog of human genes and genetic disorders Johns Hopkins University Press. Baltimore MD. (Web site- <a href="http://www.ncbi.nlm.nih.gov/Omim/">http://www.ncbi.nlm.nih.gov/Omim/</a> ).
		Palmer, E., Wilhelm, J. and Sherman, F. (1979) Phenotypic suppression of nonsense mutants in yeast by amongly-coside antibiotics. <i>Nature</i> 277, 148-150.
		Paushkin S. V., Kushnirov, V. V., Sminov, V. N. and Ter-Avanesyan, M. D. (1997a). In Vitro propagation of the prion-like state of yeast Sup35 protein. <i>Science</i> 277, 381-383.
		Paushkin S. V., Kushnirov, V. V., Sminov, V. N. and Ter-Avanesyan, M. D. (1997b). Interaction between yeast Sup45p(eRF1) and Sup35p(eRF3) polypeptide chain release factors: Implications for prior-dependent regulation. <i>Mol. Cell. Biol.</i> 17, 2798-2805.

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication with applicant.






FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE (Rev. 2-32) PATENT AND TRADEMARK OFFICE  INFORMATION DISCLOSURE STATEMENT BY APPLICANT  (Use several sheets if necessary)	ATTY. DOCKET NO. 1368-12 CON	SERIAL NO. 10/652,334
	APPLICANT Peltz et al.	CONFIRMATION NO. 5532
	FILING DATE August 28, 2003	GROUP 1645

		Perlick, H. A., Medghalchi, S. M., Spencer, F.A., Kendzior, R. J. Jr. and Dietz, H. C. (1996) Mammalian orthologues of a yeast regulator of nonsense-transcript stability. <i>Proc. Natl. Acad. Sci. USA</i> 93, 10928-10932.
		Rose, M. D., Winston, D. F. and Hieter, P. (1990) Methods in Yeast Genetics. Cold Spring Harbor Laboratory Press, Cold Spring Harbor, N.Y.
		Rosen F, Edery I, Meerovitch K, Dever TE, Merrick WC, Sonenberg N. 1990. Bidirectional RNA helicase activity of eucaryotic translation initiation factors 4A and 4F. <i>Mol Cell Biol</i> 10:1134-1144.
		Ruiz-Echevarria, M. J., K. Czaplinski, and S. W. Peltz. (1996) Making sense of nonsense in yeast. <i>TIBS</i> 21, 433-438.
		Ruiz-Echevarria, M. J., and Peltz, S. W. (1996). Utilizing the GCN4 leader region to investigate the role of the sequence determinants in nonsense-mediated mRNA decay. <i>EMBO J.</i> 15, 2810-2819.
		Scheisti, R. H. and Geitz, R. D. (1989) High efficiency transformation of intact yeast cells using single stranded nucleic acids as a carrier. <i>Curr. Genetics</i> 16: 339-346.
		Singh, A., Ursic, D. and Davies, J. 1979. Phenotypic suppression and misreading <i>Saccharomyces cerevisiae</i> . <i>Nature</i> 277, 146-148.
		Stansfield, I., Grant, C. M., Akhmaloka, and Tuite, M. F. (1992) Ribosomal association of the yeast SAL4(SUP45) gene product: implications for its role in translation fidelity and termination. <i>Mol. Microbiol</i> 6, 3469-3478.
		Song J. M. and Liebman S. W. 1987. Allosuppressors that enhance the efficiency of omnipotent suppressors in <i>Saccharomyces cerevisiae</i> <i>Genetics</i> 115:451-460.
		Stansfield, I., Jones, K. M., Kushnirov, V. V., Dagakesmanskaya, A. R., Poznyakov, A. I. Paushkin, S. V., Nierras, C. R., Cox, B. S., Ter-Avanesyan, M. D. and Tuite, M. F. (1995) The products of the SUP45(eRF1) and SUP35 genes interact to mediate translation termination in <i>Saccharomyces cerevisiae</i> . <i>EMBO J.</i> 14, 4365-4373.

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication with applicant.



PTO-1449 U.S. DEPARTMENT OF COMMERCE (Rev. 2-32) PATENT AND TRADEMARK OFFICE  INFORMATION DISCLOSURE STATEMENT BY APPLICANT  (Use several sheets if necessary)	ATTY. DOCKET NO. 1368-12 CON	SERIAL NO. 10/652,334
	APPLICANT Peltz et al.	CONFIRMATION NO. 5532
	FILING DATE August 28, 2003	GROUP 1645

		Subramanya, H. S., Bird, L. E., Brannigan, J. A. and Wigley, D. B. 1996. Crystal structure of Dexe box DNA helicases. <i>Nature</i> 384-379-383.
		Venkatesan M, Silver LL, Nossal NG. 1982. Bacetriophage T4 Gene 41 protein, required for synthesis of RNA primers, is also a DNA helicase. <i>J Biol Chem</i> 257:12426-12434.
		Weng, Y., Czaplinski, K. and Peltz, S. W. (1996a) Genetics and biochemical characterization of mutations in the ATPase and helicase regions of UPF1 Protein. <i>Mol. Cell. Biol.</i> 16, 5477-5490.
		Weng, Y., Czaplinski, K. and Peltz, S. W. (1996b) Identification and characterization of mutations in the UPF1 gene that affect nonsense suppression and the formation of the Upf protein complex, but not mRNA turnover. <i>Mol. Cell. Biol.</i> 16, 5491-5506.
		Weng, Y., Czaplinski, K. and Peltz, S. W. (1998) ATP is a cofactor of the Upf1 protein that modulates it translation termination and RNA binding activities. <i>RNA</i> 4, 205-214.
		Weng, Y., Ruiz-Echevarria, M. J., Zhang, S., Cui, Y., Czaplinski, K., Dinman J. D. and Peltz, S. W. (1997) Characterization of the nonsense-mediated mRNA decay pathway and its effect on modulating translation termination and programmed frameshifting. In: <i>mRNA Metabolism and Post-transcriptional Gene Regulation</i> . <i>Modern Cell Biology</i> 17, 241-263.
		Winey, M. and M. R. Culbertson. 1988. Mutations affecting the tRNA-splicing endonuclease activity of <i>Saccharomyces cerevisiae</i> . <i>Genetics</i> 118:607-617.
		Zhouravleva, G. Frolova, L., LeGoff, X., LeGuellec, R., Inge-Vechtormov, S., Kisselev, L. and Phillippe, M. (1995) Termination of translation in eukaryotes is governed by two interacting polypeptide chain release factors, eRF1 and eRF3. <i>EMBO J.</i> 14, 4065-4072.

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication with applicant.